

IX. References

- ABDULRAZAK, S. A.; FUJIHARA, T.; ONDIEK, J. K. et al. (2000): Nutritive evaluation of some acacia tree leaves from Kenya. *Anim Feed Sci Tech*, 85: 89-98.
- ABEBE, Y.; FISSAHA, I.; OLSSON, M. (2001): Contribution of indigenous trees to soil properties: The case of scattered trees of *Cordia africana* Lam. in croplands of western Oromia. *Ethiop J Nat Resour*, 3: 245–270.
- ANTHOFER, J.; HANSON, J.; JUTZI, S. C. (1998): Wheat growth as influenced by application of agroforestry-tree prunings in Ethiopian highlands. *Agroforest Syst*, 40: 1-18.
- AREGAWI, B. (1989): Research on multipurpose tree species in Ethiopia. In: IAR/ICRAF National Agroforestry Workshop Proceeding. IAR, Addis Ababa, Ethiopia. pp 29-32.
- ARONSON, J.; OVALLE, C.; AVENDANO, J. et al. (2002): Agroforestry tree selection in central Chile: Biological nitrogen fixation and early plant growth in six dryland species. *Agroforest Syst*, 56: 155-166.
- ARREDONDO, S.; ARONSON, J.; OVALLE, C. et al. (1998): Screening multipurpose legume trees in central Chile. *Forest Ecol Manag*, 109: 221-229.
- ASHAGRIE, Y.; MAMO, T.; OLSSON, M. (1999): Changes in some soil chemical properties under scattered *Croton macrostachyus* trees in the traditional agroforestry system in northwestern Ethiopia. *Ethiop J Nat Resour*, 1:215-233.
- AZENE, B.; BIRNIE, A.; TENGNÄS, B. (1993): Useful trees and shrubs for Ethiopia: Identification, propagation and management for agricultural and pastoral communities. Regional Soil Conservation Unit, Swedish International Development Authority, Nairobi. 474 p.
- BARBER, S. A. (1995): Soil nutrient bioavailability: A mechanistic approach. John Wiley & Sons Inc, NY.
- BERHANE, K.; KINDU, M.; FEKEDE, F. (2006): Agroforestry practices, opportunities and research needs in the highlands of Dendi wereda, Ethiopia. In: Amede, T.; German, L.; Oundo, C. et al. (Eds): Integrated natural resource management in practice: enabling communities to improve mountain livelihoods and landscapes. Proceedings of a conference held on October 12-15, 2004 at ICRAF Headquarters, Nairobi, Kenya. African Highlands Initiative, Kampala, Uganda. pp 132-138.
- BERHANU, D. (1985): The Vertisols of Ethiopia: Their properties, classification and management. In: Fifth meeting of the eastern African sub-committee for soil correlation and land evaluation. World soil resources report no. 56. FAO (Food and Agriculture Organization), Rome. pp 31-54.

- BRADY, N. C. (1990): The nature and properties of soils. Tenth edition. Macmillan Publishing Company, New York. 621 p.
- BRADY, N. C.; WEIL, R. R. (2002): The nature and properties of soils. Thirteenth edition. Pearson Education, Inc., New Jersey. 960 p.
- BURESH, R. J.; AUSTIN, E. R.; CRASWELL, E. T. (1982): Analytical methods in N¹⁵ research. Fert Res, 3: 37-62.
- CAMBERATO, J. J. (2001): Cation exchange capacity-Everything you want to know and much more.
<http://virtual.clemson.edu/groups/turfornamental/tmi/fertlime/Cation%20exchange%20capacity.pdf>. Last access on 20.04.2007.
- CHANG, S. X.; AMATYA, G.; BEARE, M. H. et al. (2002): Soil properties under a *Pinus radiata* – ryegrass silvopastoral system in New Zealand. Part I. Soil N and moisture availability, soil C, and tree growth. Agroforst Syst, 54: 137–147.
- CHESSON, A. (1997): Plant degradation by ruminants: Parallels with litter decomposition in soils. In: Cadisch, G.; Giller, K. E. (Eds): Driven by Nature: Plant Litter Quality and Decomposition. CAB International, Wallingford, UK. pp 47-66.
- CONSTANTINIDES, M.; FOWNES, J. H. (1994a): Nitrogen mineralization from leaves and litter of tropical plants: Relationship to nitrogen, lignin and soluble polyphenol concentrations. Soil Biol Biochem, 26: 49-55.
- CSO (1988): Statistical abstracts, 1968-1988. CSO, Addis Abeba, Ethiopia.
- DAVID, B. M. (undated): Fundamentals of soil cation exchange capacity. Agronomy Guide, Purdue University Cooperative Extension Service.
- EARO (2000): Forestry research strategy. EARO, Addis Abeba, Ethiopia. 107 p.
- EFAP (1994): The challenge for development. Volume II, Addis Abeba, Ethiopia.
- EI HASSAN, S. M.; KASSI, A. L.; NEWBOLD, C. J. et al. (2000): Chemical composition and degradation characteristics of foliage of some African multipurpose trees. Anim Feed Sci Tech, 86:27-37.
- FAO (1997): Energy and environment basics. RWEDP report No. 29, Bangkok, Thailand. 85 p.
- FAO (1986): Ethiopian highlands reclamation study. Final Report. 2 volumes. FAO, Rome, Italy.
- FAO/WFP (2006): Special report: crop and food supply assessment mission to Ethiopia.
www.fao.org/docrep/008/j7071e/j7071e00.htm. Last access on 25.03.2007.
- GARRITY, D. P.; MERCADO, A. R. (1994): Nitrogen fixation capacity in the component species of contour hedgerows: how important? Agroforest Syst, 27:241-258.

- GERMAN, L. A.; BERHANE, K.; KINDU, M. (2005): Watershed management to counter farming systems decline: toward a demand-driven, systems-oriented research agenda. Agricultural Research & Extension Network Network Paper No. 145.
- GINDABA, J.; ROZANOV, A.; NEGASH, L. (2005): Trees on farms and their contribution to soil fertility parameters in Badessa, eastern Ethiopia. *Biol Fertil Soils*, 42: 66-71.
- GOMEZ, K. A.; GOMEZ, A. A. (1984): Statistical procedures for agricultural research. Second edition, IRRA, the Phillipines and Wiley, New York. pp 39-75.
- HAGEN-THORN, A.; ARMOLAITIS, K.; CALLESEN, I. et al. (2004): Macronutrients in tree stems and foliage: a comparative study of six temperate forest species planted at the same sites. *Ann For Sci*, 61: 489-498.
- HAILESLASSIE, A. (2005): Soil nutrient balances at different spatial scales: examining soil fertility management and sustainability of mixed farming systems in Ethiopia. Diss. Georg August University of Goettingen.
- HAILESLASSIE, A.; PRIESS, J. A.; VELDKAMP, E. et al. (2006): Smallholders' soil fertility management in the central Highlands of Ethiopia: Implications for nutrient stocks, balances and sustainability of agroecosystems. *Nutr Cycl Agroecosyst*, 75:135-146.
- HAILU, T.; NEGASH, L.; OLSSON, M. (2000): *Millettia ferruginea* from southern Ethiopia: Impacts on fertility and growth of maize. *Agrofor Syst*, 48:9-24.
- HAQUE, I.; ABEBE, M.; MAMO, T. et al. (1993): Nutrient management. In: Mamo, T.; Astatke, A.; Srivastava, K. L. et al. (Eds): Improved management of Vertisols for sustainable crop-livestock production in the Ethiopian highlands: Synthesis report 1986-92. Technical committee of the joint Vertisol project, Addis Ababa, Ethiopia. pp 51-73.
<http://www.ces.purdue.edu/extmedia/AY/AY-238.html>. Last access on 21.04.2007.
- Hodges, S. C. (undated). Soil fertility basics.
<http://www.soil.ncsu.edu/nmp/Nutrient%20Management%20for%20CCA.pdf>. Last access on 30.04.2007.
- IAEA (1975): Root activity patterns of some tree crops. Tech. Rep. Ser. No. 170. Int. Atomic Energy Agency, Vienna, Austria.
- ICRAF (1990): Agroforestry: Potentials and research needs for the Ethiopian highlands, AFRENA report no. 21, Nairobi, Kenya.
- JAMA, B.; PALM, C. A.; BURESH, R. J. et al. (2000): *Tithonia diversifolia* as a green manure for soil-fertility improvement in western Kenya: A review. *Agroforest Syst*, 49: 201-221.
- JAYASURIYA, M. C. N. (2002): Principles of ration formulation for ruminants: In International Atomic Energy Agency (Ed): Animal feed supplementation packages. IAEA-TECDOC-1294, International Atomic Energy Agency, VIENNA, Austria.
- JONES, J. B. (1998): Plant nutrition manual. CRC Press LLC, Boca Raton Florida.

- KABAIJA, E., LITTLE, D. A. (1987): Potential of agricultural by-products as sources of mineral nutrients in ruminant diets. In: Said, N.; Dzowela, B.H. (Eds): Overcoming constraints to the efficient utilization of agricultural by products as animal feed. Proceedings of the 4th annual workshop, Bamenda, Cameroon, 1987.
- KALINGANIRE, A. (1996): Performance of *Grevillea robusta* in plantations and on farms under varying environmental conditions in Rwanda. Forest Ecol Manag, 80: 279-285.
- Keeney, D. R.; Nelson, D. W. (1982): Nitrogen-inorganic forms. In: Page, A.L. (Ed): Methods of soil analysis. Agron. 9, Part 2: Chemical and microbiological properties. Second edition. Am. Soc. Agron., Madison Wisc., USA. pp 643-698.
- KEMP, A.; T'HART, M. L. (1957): Grass tetany in grazing milking cows. Neth J Agric Sci, 5: 4-17.
- KHANAL, R. C.; SUBBA, D. B. (2001): Nutritional evaluation of leaves from some major fodder trees cultivated in the hills of Nepal. Anim Feed Sci Tech, 92:17-32.
- KINDU, M. (2001): Practices, constraints and agroforestry interventions in Yeku watershed, north-eastern Ethiopia. Ethiopian J Nat Resour, 3:149-166.
- KINDU, M.; BURESH, R. J.; JAMA, B. (1997): Root and inorganic nitrogen distributions in sesbania fallow, natural fallow and maize fields. Plant Soil, 188: 319-327.
- KINDU, M.; BURESH, R. J.; RICHARD, C. et al. (1999): Root length and nitrate under *Sesbania*: Vertical and horizontal distribution and variability. Agrofor Syst, 42: 265-282.
- KINDU, M.; GLATZE, G.; SIEGHARDT, M. (2006): Evaluation of common indigenous tree and shrub species for soil fertility improvement and fodder production in the highland areas of western Shewa, Ethiopia. In: Kommission für Entwicklungsfragen (Hg) Gemeinsam Forschen gemeinsam Lernen: Forschungspartnerschaften in der Entwicklungszusammenarbeit. Österreichischen Akademie der Wissenschaften, Wien. pp 99-106.
- KINDU, M.; GLATZEL, G.; TADESSE, Y. (2006): Tree species screened on Nitosols of central Ethiopia: Biomass production, nutrient contents and effects on soil nitrogen. J Trop For Sci, 18: 87-90.
- KINDU, M.; TAYE, B. (1997): Soil and trees sub-system. In: KINDU, M.; HAILU, B.; ALEMU, T. (Eds): Natural resources management at Galessa Kota Gisher and Garie Arera peasant associations, Dendi wereda, western Shewa, Ethiopia PRA survey report. IAR, Addis Abeba. pp 8-15.
- KUMAR, P.; TARAFDAR, J. C.; PANWAR, J. et al. (2003): A rapid method for assessment of plant residue quality. J Plant Nutr Soil Sc, 166: 662-666.
- LAJTHA, K.; HARRRISON, A. F. (1995): Strategies of phosphorus acquisition and conservation by plant species and communities. pp 139-147. In: Tiessen, H. (Ed):

- Phosphorus in the global environment; transfers, cycles and management. Scope 54. John Wihey & Sons, New York.
- LARBI, A.; SMITH, J. W.; KURDI, I. O. et al. (1998): Chemical composition, rumen degradation, and gas production characteristics of some multipurpose fodder trees and shrubs during wet and dry seasons in the humid tropics. *Anim Feed Sci Tech*, 72: 81-96.
- LUGO, A. E.; BROWN, S.; CHAPMAN, J. (1988): An analytical review of production rate and stem wood biomass of tropical forest plantations. *Forest Ecol Manag*, 23: 179-200.
- MAFONGOYA, P. L.; GILLER, K. E.; PALM, C. A. (1998): Decomposition and nitrogen release patterns of tree prunings and litter. *Agroforest Syst*, 38: 77-97.
- MALIK, R.; SHARMA, S. (1990): Moisture extraction and crop yield as a function of distance in a row of *Eucalyptus tereticornis*. *Agroforest Syst*, 12: 187-195.
- MARSCHNER, H. (1995): Mineral nutrition of higher plants. Academic Press, UK.
- MARTENS, H.; KUBEL, O. W.; GABEL, G. (1987): Effect of low sodium intake on magnesium metabolism of sheep. *J Agric Sci (Camb.)*, 108: 237-243.
- MAZZARINO, M. J.; OLIVA, L.; NUNEZ, A. et al. (1991): Nitrogen mineralization and soil fertility in the dry Chaco ecosystem (Argentina). *Soil Sci Soc Am J*, 55: 515-522.
- MCGOWAN, A. A.; MATHEWS, G. L. (1992): Forage production from hedges of tagasaste in a high rainfall temperate environment, and the effect of plant spacing and frequency of harvesting. *Aust J Exp Agr*, 32: 633-640.
- MENGISTU, S.; KEFTASA, D.; YAMI, A. (2002): Productivity of four *Sesbania* species on two soil types in Ethiopia. *Agroforest Syst*, 54: 235-244.
- MICHELSEN, A.; LISANEWORK, N.; FRIIS, I. (1993): Impacts of tree plantations in the Ethiopian highland on soil fertility, shoot and root growth, nutrient utilization and mycorrhizal colonization. *Forest Ecol Manag*, 61: 299-324.
- MINSON, D. J.; MILFORD, R. (1967): The voluntary intake and digestibility of diets containing different proportion of legume and mature Pangola grass (*Digitaria decumbens*). *Aust J Exp Agric Anim Husb*, 7:546-551.
- MOHAMED, S.; ABATE, T. (1995): Feed improvement to support intensification of ruminant production systems in the Ethiopian highlands. In: Proceedings of the 3rd national conference of the Ethiopian society of animal production, Addis Ababa, Ethiopia, 27-29 April 1995.
- MOHAMED, S. M. A. (2000): ILRI highland research: Past activities and future plan. In: JABBAR, M. A.; PEDEN, D. G.; MOHAMED S. M. A. et al. (Eds): Agro-ecosystems, natural resources management and human health related research in east Africa. Proceedings of an IDRC-ILRI international workshop held at ILRI, Addis Ababa, Ethiopia, 11-15 May 1998. ILRI, Nairobi, Kenya,

<http://www.ilri.org/InfoServ/Webpub/Fulldocs/Aesh/Toc.htm>. Last access on 11.02.2007.

- MURPHY, J.; RILEY, J. P. (1962): A modified single solution method for determination of phosphate in natural waters. *Anal Chim Acta*, 27: 31-36.
- NDOYE, I.; DREYFUS, B. (1988): N₂ fixation by *Sesbania rostrata* and *Sesbania sesban* estimated using ¹⁵N and total N different methods. *Soil Biol Biochem*, 20: 209-213.
- NRC (1984): Nutrient requirements of beef cattle. National Academy Press, Washington.
- NRC (1985): Nutrient requirements of sheep. National Academy Press, Washington.
- NRC (1989): Nutrient requirements of dairy cattle. National Academy Press, Washington.
- NRC (1996): Nutrient requirements of beef Cattle. National Academy Press, Washington.
- OLSEN, S. R.; SOMMERS, L. E. (1982): Phosphorus. In: Page, A. L. (Ed): Methods of soil analysis; Part 2: Chemical and microbiological properties, Am. Soc. Agron., Soil Sci Soc Am, Madison, WI., USA. pp. 403-430.
- ÖNORM L1080 (2005): Chemical analysis of soils: determination of humus by dry combustion of carbon. Austrian Standards Institute.
- ÖNORM L1082 (2005): Chemical analysis of soils: determination of total nitrogen. Austrian Standards Institute.
- ÖNORM L1083 (2005): Chemical analysis of soils: determination of acidity (pH value). Austrian Standards Institute.
- ÖNORM L1085 (2004): Chemical analysis of soils: determination of mineral nutritive and toxic element in acid digests. Austrian Standards Institute.
- Ovalle, C.; Longerí, L.; Aronson, J.; Herrera, A. et al. (1996): N₂ fixation, nodule efficiency and biomass accumulation after two years in Chilean legume trees and tagasaste *Chamaecytisus proliferus* subsp. *palmensis*. *Plant Soil*, 179: 131-140.
- PALM, C. A. (1995): Contribution of agroforestry trees to nutrient requirements in intercropped plants. *Agroforest Syst*, 30: 105-124.
- PALM, C.A.; GILLER, K. E.; MAFONGOYA, P. L. et al. (2001): Management of organic matter in the tropics: translating theory into practice. *Nutr Cycl Agroecosys*, 61:63-75.
- PALM, C. A.; MYERS, R. J. K.; NANDWA, S. M. (1997): Combined use of organic and inorganic nutrient sources for soil fertility maintenance and replenishment. In: Buresh, R. J.; Sanchez, P. A.; Calhoun, F. (Eds): Replenishing soil fertility in Africa. Soil Science Society of America Special Publication 51, Soil Science Society of America, Madison, WI, USA. pp 193-218.
- PALM, C. A.; ROWLAND, A. P. (1997): A minimum dataset for characterization of plant quality for decomposition. In: Cadisch, G. Giller, K. E. (Eds): Driven by Nature: Plant Litter Quality and Decomposition. CAB International, Wallingford, UK. pp 379-392.
- PANDEY, C. B.; SINGH, A. K.; SHARMA, D. K. (2000): Soil properties under *Acacia nilotica* trees in a traditional agroforestry system in central India. *Agroforest Syst*, 49: 53-61.

- PATERSON, R. T.; KARANJA, G. M.; ROOTHAERT, R. L. et al. (1998): A review of tree fodder production and utilization within smallholder agroforestry systems in Kenya. *Agrofor Syst*, 41: 181-199.
- POSCHEN, P. (1986): An evaluation of the *Acacia albida*-based agroforestry practices in the Harerghe highlands of eastern Ethiopia. *Agrofor Syst*, 4:129-143.
- POWER, I. L.; THORROLD, B. S.; BALKS, M. R. (2003): Soil properties and nitrogen availability in silvopastoral plantings of *Acacia melanoxylon* in north Island, New Zealand. *Agrofor Syst*, 57: 225-237.
- REED, J. D.; HORVATH, P. J.; ALLEN, M. S. et al. (1985): Gravimetric determination of soluble phenolics including tannins from leaves by precipitation with trivalent ytterbium. *J Sci Food Agric*, 36: 255-261.
- REED, J. D.; McDOWELL, R. E.; VAN SOEST, P. J. et al. (1982): Condensed tannins, a factor limiting the use of cassava forage. *J Sci Food Agric*, 33: 213-220.
- RICHARDS, L. A. (1954): Diagnosis and improvement of saline and alkali soils. USDA Agric. Handbook 60. Washington, D.C.
- SAE-LEE, S.; VITYAKON, P.; PRACHAIYO, B. (1992): Effects of trees on paddy bund on soil fertility and rice growth in northeast Thailand. *Agrofor Syst*, 18: 213-223.
- SANCHEZ, P. A.; NICHOLAIDES, J. J. (1992): Plant nutrition in relation to soil constraints in the developing world. Technical Advisory Committee Secretariat, FAO, Rome.
- SAS Institute (1999): SAS/STAT user's guide, Version 8. SAS Institute Inc., Cary, NC, USA.
- SCHLESINGER, W. H. (1997): Biogeochemistry: An analysis of global change. Second edition. Academic Press, San Diego. 558 p.
- SEYOUN, B.; GETNET, A.; ABATE, T. et al. (2001): Present status and future direction in feed resources and nutrition research targeted for wheat based crop-livestock production system in Ethiopia. In: Wall, P. C. (Ed): Wheat and weeds: food and feed. Proceedings of two stakeholder workshops, CIMMYT, Santa Cruz, Bolivia. pp 207-226.
- SEYOUN, B.; ZINASH, S. (1989): The composition of Ethiopian feeds. Institute of Agricultural Research Report No 6, Addis Ababa, Ethiopia.
- TEDLA, A.; MAMO, T.; KLAIJ, M. C. et al. (1999): Effects of cropping system, seed bed management and fertility interactions on biomass of crops grown on a Vertisol in the central highlands of Ethiopia. *J Agron Crop Sci*, 183: 205-211.
- TILLEY, J. M. A.; TERRY, R. A. (1963): A two-stage technique for the *in vitro* digestion of forage crops. *J Br Grassl Soc*, 18:108-112.
- TOWNSEND, R. J.; RADCLIFFE, J. E. (1987): Establishment and management of tagasaste. Proceedings of the New Zealand Grassland Association, 48: 109-113.

- VAN SOEST, P. J.; ROBERTSON, J. B. (1985): Analysis of forages and fibrous foods. Laboratory Manual for Animal Science. Cornell University, Ithaca, New York.
- WEZEL, A. (2000): Scattered shrubs in pearl millet fields in semiarid Niger: Effect on millet production. *Agroforest Syst*, 48: 219-228.
- WOOD, P. J.; BURLEY, J. (1991): A tree for all reasons: the introduction and evaluation of multipurpose trees for agroforestry. ICRAF, Nairobi. pp 45-55 and 98-117.
- YOUNG, A. (1997): Agroforestry for soil management. CAB International, Wallingford, UK and ICRAF, Nairobi, Kenya.
- ZERFU, H. (2002): Ecological impact evaluation of Eucalyptus plantations in comparison with agricultural and grazing land-use types in the highlands of Ethiopia. Diss. Vienna Univ. of Agricultural Sciences.